

SAFETY_SERVICE Office
Elyria, Ohio

147506



ird Cut

December 2, 1965

Mr. Jack Birchill
Safety Service Director
Elyria, Ohio

Dear Sir:

As per our telephone conversation with me a few days ago we are writing this letter to outline our proposed activities at the Chemical Service Corporation, newly started at 128 Locust Street. We will be involved in the purification of industrial chemicals however, the processes will differ slightly from those of Obitts Chemical Company next door. The dehydration of organic solvents will be our principle activity. Our waste from these operations will be almost entirely water. There will be traces of by products which will not be detectable by odor or sight as all the products we will purify come to us in a clean state. We will have no cleaning of equipment to bother with, therefore the effluent from this plant will contain no color or caustic compounds as is the case with Obitts Chemical Company. We will be discharging cooling water as we have done in the past. There will be a sump near the building where you

can sample any exit waters at any time before they pass into the river.

We will welcome any suggestions you may have and ~~with~~ to thank you for your co-operation.

Respectfully yours,

Chemical Service Corporation
R.W. Obitts, President

RWO:eb

Mr. Jack B. Jickell
Safety Service Inc.
Clyde, Ohio

Dec. 1, 1965

Dear Sir

As per your phone conversation with me a few days ago we are writing this letter to outline our proposed activities at the Chemical Inc. Corp. newly started at 128 Locust St. We will be involved in the purification of industrial chemicals however the processes will differ slightly from those of O.C.C. West door. The dehydration of organic solvents will be our principle activity. Our waste from these operations will be almost entirely water. There will be traces of by products which will not be detectable by odor or sight as all the products

we will pump out water to
clean state. We will have no
cleaning of ship to better with
therefore the effort from the
plant ~~about~~ will contain no
color or caustic compounds as
in the case with Ohio C.C.
We will be discharging cooling water
as we have done in the past
Three miles to a dump near the
building where you can sample
any site water at any time before
they feed into the river.
We will welcome any suggestion
you may have and want to
thank you for your cooperation.
Respectfully yours,
Chemical Div. Co.
P. W. O'Leary, Inc.



City of Elyria, Ohio

OFFICE OF SAFETY-SERVICE DIRECTOR JACK M. BIRCHMILL
322-0926
City Hall

December 21, 1965

**Chemical Service Corp.
142 Locust St.
Elyria, Ohio**

Attention: R. W. Obitts, President.

Gentlemen:

Acting under Section 911.13 of the codified code of the City of Elyria I hereby grant permission to the Chemical Service Corp. to discharge into the Black River the water residue produced by the activity at your plant.

I grant this permission provided that the City has free access to inspect the waste water and that the waste water does not exceed the limits of pollution as established by City ordinance and the state regulations governing industrial waste waters.

Should the City not be allowed to make inspections at its own choosing, or if the pollution of the Black River caused by your process exceeds the above mentioned limits, this permission will be withdrawn.

I grant this permission with the advice of Ernest G. Bartha, City Chemist.

Respectfully,

THE CITY OF ELYRIA, OHIO

Jack M. Birchmill
Safety-Service Director

JMB:AW